

# **Dräger Configuration and Evaluation Software**

Save measurement results, professionally configure gas detection instruments and viewing performance data – all that is possible with the tailor-made Dräger software.



#### **Benefits**

#### Configuration of gas detectors

The software CC-Vision is the premium choice to configure your portable gas detector: easy use, comprehensive possibilities for configuration and saving individual settings. Moreover, CC-Vision can generate templates, used by X-dock® to configure complete gas detector fleets. The best: CC-Vision is free of charge!

#### **Data evaluation**

The software GasVision 7 is the key to a benifical analysis of data collected by portable gas detectors. Analysing the graph, calculating average and finding peak values, creating excel exports and printing tables and charts – GasVision 7 is the ideal tool.

In conjunction with X-dock Manager, GasVision 7 gets data logger read out by X-dock with a simple mouse-click.

#### Calibration

CC-Vision can show the step response during calibration and can document the calibration results. If you don't own an X-dock system for calibration, CC-Vision is the next best way to ease your life.

#### Real time measurements

GasVision 7 supports most of the Dräger portable gas detectors in regards to real time measurements. See the values immediately on your PC while the gas detector is measuring it.

## System components



#### **USB DIRA**



#### Communication module MILO



#### **Dräger Bump Test Station**

Easy to use, stand-alone and portable. With the Bump Test Station, functionality tests of gas detection and warning devices can be carried out easily and quickly.



#### Dräger X-dock® 5300/6300/6600

The Dräger X-dock® series provides you with full control of your portable Dräger gas detection instruments. Automatic bump tests and calibrations with reduced test gas consumption and short testing times save time and money. Comprehensive documentation and evaluations provide you with a clear overview.

### System components



#### Dräger Pac® 3500

Fast and reliable, accurate and maintenance-free for up to two years: Dräger Pac® 3500 is ideal for the industrial personal monitoring of carbon monoxide, hydrogen sulphide or oxygen.



#### Dräger Pac® 5500

Longer assignments are its speciality: the single gas instrument, Dräger Pac® 5500, has no lifetime limitation, and is ideal for fast and accurate personal monitoring and the detection of carbon monoxide, hydrogen sulphide or oxygen.



#### Dräger Pac® 7000

Safety at the workplace always takes priority: depending on the sensor selection, the single gas detector, Dräger Pac® 7000, provides a reliable warning against dangerous concentrations of 14 different gases. Unique: the optional 5-year warranty for the H<sub>2</sub>S, O<sub>2</sub> and CO versions.



#### Dräger X-am® 2500

The Dräger X-am® 2500 was especially developed for use as personal protection. The 1 to 4 gas detector reliably detects combustible gases and vapours, as well as  $O_2$ , CO,  $NO_2$ ,  $SO_2$  and  $H_2S$ . Reliable and fully mature measuring technology, durable sensors and easy handling guarantee a high degree of safety with extremely low operating costs.

0700 70001

## System components



#### Dräger X-am® 5000

The Dräger X-am® 5000 belongs to a generation of gas detectors, developed especially for personal monitoring applications. This 1- to 5-gas detector reliably measures combustible gases and vapors as well as  $O_2$  and harmful concentrations of toxic gases, organic vapors, Odorant and Amine.



#### Dräger X-am® 5600

Featuring an ergonomic design and innovative infrared sensor technology, the Dräger X-am 5600 is the smallest gas detection instrument for the measurement of up to 6 gases. Ideal for personal monitoring applications, this robust and water-tight detector provides accurate, reliable measurements of explosive, combustible and toxic gases and vapors as well as oxygen.



#### Dräger X-am® 7000

Dräger X-am® 7000 is the solution for the simultaneous and continuous measurement of up to five gases. It is the ideal companion in a variety of applications where the reliable detection of oxygen, toxic and combustible gases and vapors are necessary.

## Notes

#### CORPORATE HEADQUARTERS

Drägerwerk AG & Co. KGaA Moislinger Allee 53–55 23558 Lübeck, Germany www.draeger.com

#### Manufacturer:

Dräger Safety AG & Co. KGaA Revalstraße 1 23560 Lübeck, Germany

#### REGION EUROPE CENTRAL AND EUROPE NORTH

Dräger Safety AG & Co. KGaA Revalstraße 1 23560 Lübeck, Germany Tel +49 451 882 0 Fax +49 451 882 2080 info@draeger.com

#### REGION EUROPE SOUTH

Dräger Safety France SAS 25, rue Georges Besse 92182 Antony Cedex Tel +33 1 46 11 56 00 Fax +33 1 40 96 97 20 europe.south@draeger.com

#### REGION MIDDLE EAST, AFRICA

Dräger Safety AG & Co. KGaA Branch Office P.O. Box 505108 Dubai, United Arab Emirates Tel +971 4 4294 600 Fax +971 4 4294 699 contactuae@draeger.com

#### REGION ASIA PACIFIC

Draeger Safety Asia Pte Ltd 25 International Business Park #04-20/21 German Centre Singapore 609916 Tel +65 6308 9400 Fax +65 6308 9401 asia.pacific@draeger.com

## REGION CENTRAL AND SOUTH AMERICA

Dräger Panama S. de R.L. Complejo Business Park, V tower, 10th floor Panama City Tel +507 377 9100 Fax +507 377 9130 contactcsa@draeger.com

Locate your Regional Sales Representative at: www.draeger.com/contact

